



# CATALOG 2023

SCAN&GO srl  
Via della Tecnica 34 A/B -  
41051 Castelnuovo Rangone  
(MO) - Italy  
Cell. +39 3924627285  
[info@scan-go.eu](mailto:info@scan-go.eu)

May 2023

# Summary

|  |    |
|--|----|
| Level-Plane 21 Bluetooth / Radio           | 2  |
| Mobile Stop&Go Solution                    | 3  |
| Scan&Go Drive SferaZERO                    | 3  |
| Level-Lift Roof                            | 4  |
| Smart Lift Roof                            | 4  |
| Automatic Lifter 7 mt                      | 5  |
| Automatic Lifter 6 mt                      | 5  |
| WHIPPY SCAN    BLK Scan Cart               | 6  |
| Carbon Tripod BLK360                       | 6  |
| BLK SCAN CART                              | 6  |
| Upside Down Tripod                         | 7  |
| Uplift500                                  | 7  |
| BLK UDT                                    | 7  |
| HORIZONTAL SCAN                            | 8  |
| BLK WINDOWS SCAN                           | 8  |
| UpLift 400                                 | 8  |
| BLK2GO ADAPTER                             | 9  |
| BACKPACK FOR BLK2GO                        | 9  |
| BLK2GO One Shoulder Support                | 10 |
| Telescopic Carbon Pole                     | 10 |
| Adjustable LED Light for tripod            | 10 |
| Led Light for BLK2GO                       | 9  |
| Rigid BackPack for RTC360                  | 11 |
| Vehicle Mounter                            | 11 |
| TRIPOD LED LIGHTT                          | 11 |
| TRIPOD LED LIGHTT ADAPTER FOR RTC360       | 11 |
| Safety Adapters and Adapters SGS122, SGSX7 | 12 |
| Adapter SGS series                         | 12 |
| Scan Ventilator                            | 12 |
| Shoulder Tablet Holder                     | 12 |
| One Shoulder Support for GEOSLAM           | 13 |
| Target Plate 20x20    Carbon Target 20x20  | 13 |
| Easy target                                | 13 |
| Topographic Target Kit                     | 13 |
| Set laser scanner reference sphere         | 14 |
| Kit Sphere Tripod                          | 14 |
| Coaxial Bracket for FARO laser scanner     | 14 |
| <b>Adapter 3/8" ADP38</b>                  | 14 |



# Mobile Stop and Go Solution

Part Number **GS DRIVE**

Mobile Stop and Go Solution is a method designed to perform topographic survey with laser scanner instrumentation and vehicle-mounted GNSS receivers which do not need to be disassembled while moving.

Compatible with all laser scanners weighing up to 10 kg

Composed of:

LP21B automatic leveller with Bluetooth control  
Holder for laser scanner and GNSS receiver  
Holder with Suction cup for GNSS and Sphere  
Aluminum frame for roof bars on vehicles  
(GNSS receiver not included)



## Scan&Go Drive SferaZERO for FARO laser scanner

Part Number **SGD-SZ**

SCAN&GO DRIVE SFERAZERO FOR FARO LASER SCANNER

Composed of:

Level-Plane 21 with accessories  
SferaZERO with accessories  
Holder with Suction cup  
Frame for LP21  
Coaxial Bracket for Faro scanner  
Soft Bag for accesories

(GNSS receiver not included)





# Level - Lift Roof Standard

Part Number **LLR**

## LEVEL-LIFT ROOF STANDARD

Lifting extensible system for Leica serie C and P,  
Riegl, Z+F, Optech Polaris, Trimble TX8, SX10 laser scanner,  
up to 3,00 mt. height

### Composed of:

Level-Lift Roof with aluminium frame  
Roof bar brackets  
LLR Cable Controller  
Connecting cable from LP16/21 to LLR  
Power Cable with connection to the car-lighter  
Support plate for LP16/21  
Quick Bracket  
Soft bag for accessories  
Wooden box for shipping

*(LP121 and Laser Scanner not included)*



# Smart Lift Roof

Part Number **SLR**

## SMART LIFT ROOF

Lifting system for any laser scanner  
no extension, only one vertical position  
up to 1,40 mt (with LP1 1,70) height  
electrical and mechanical system

### Composed of:

Lift Roof with Aluminium frame  
Roof bar brackets  
Radio Controller  
Connecting cable from LP16/21 to SLR  
Power Cable with connection to the car-lighter  
Support plate for LP16/21  
Quick Bracket  
Soft bag for accessories  
Wooden box for shipping

*(LP121 not included)*



# Automatic Lifter 7 mt

Part Number **AL70**

## AUTOMATIC LIFTER

Lifting extensible system for Leica BLK360, RTC360, Faro, Trimble TX5 laser scanner, up to 7 mt. height  
Maximum Load 10 Kg

### Composed of:

Soft bag for accessories  
Wind bracing kit  
Air Compressor  
Wooden box for shipping

(12V 26 Ah battery NOT INCLUDED)



# Automatic Lifter 6 mt to use with or without Level Plane

Part Number **AL60**

## AUTOMATIC LIFTER AL60

Extendable lifting system for any laser scanner up to 6 meters in height.  
Maximum Load 35 Kg

### Composed of:

Soft bag for accessories  
Wind bracing kit  
Air Compressor  
Wooden box for shipping  
(12V 26 Ah battery NOT INCLUDED)

Only if combined with LP16/21:

Connecting cable from LP21 to Battery  
Electric kit for battery (battery not included)  
Battery charger 12V-12Ah  
Support plate for LP16/21

(LP16/21 not included)



# Carbon Tripod BLK360

Part Number **CT-BLK360**

CARBON TRIPOD BLK360  
Telescopic carbon tripod ONLY for BLK360  
Maximum height of mt. 6  
Maximum load 1,5 kg  
Weight 3 Kg

Composed of:

3/8" connection on the top (only BLK tripod adapter needed)  
Windbracing kit  
Hard carrying case



## WHIPPY SCAN

Part Number **WS**

IDEAL FOR ANY LASER SCANNER

Whippy Scan  
System mounted on a four-wheeled trolley with an extendable pole and parking feet.

Maximum height 2,50 mt.  
Maximum load 13 kg  
Weight 22 Kg



## BLK SCAN CART

Part Number **BLK-SC**

IDEAL FOR Leica BLK360 G1, BLK360 G2, BLK2GO

BLK SCAN CART  
System mounted on a three-wheeled trolley with an extendable carbon pole, carbon telescopic tripod and parking feet.

Maximum height 3,95 mt.  
Maximum load 3 kg  
Weight 11,50 Kg

ACCESSORIES NOT INCLUDED



Support RAM-MOUNT for tablet  
**10"/12"**





# Tripods

## Part Number **UDT**

Upside Down Tripod  
Steel telescopic tripod for underground

Composed of:

Non-slip rubber feet  
2 extensions of 1 meter each  
Holding screw: 5/8" male thread



### Accessories

- EXT            Extension of 1 meter
- SA-X7        Safety Adapter for Trimble X7  
SA-RTC      Safety Adapter for RTC360  
SA-38        Safety Adapter for BLK360 and FARO  
SA-P         Safety Adapter for Pseries, Z+F, Trimble

## Part Number **BLK-UDT**

BLK360 Upside Down Tripod  
Telescopic two-way aluminum elevator with manual lifting for BLK360,  
Max.height 2,20 mt  
Depth 1.5 mt with two meter extensions

Composed of:

BLK Upside Down Tripod  
2 Additional elements of 1mt  
3/8" Adapter



### Accessories

- AD-EL    Additional element of 1mt to be used only with Leica BLK360 laser scanner

## Part Number **UP500**

UPLIFT500  
Telescopic lifter made of painted steel, with manual lifting for 3D Laser Scanner, maximum height of mt. 5,00 with braking wheels.  
Possible to use with or without the wheels.

Composed of:

Uplift550  
Wind bracing kit  
Braking wheels  
Bubble level  
Soft bag for accessories





# Horizontal Scan

Part Number **HS**

## HORIZONTAL SCAN

Horizontal extensible system for scanning

### Technical data

|                          |        |
|--------------------------|--------|
| Dimensions closed system | 150 cm |
| Dimensions opened system | 290 cm |
| Maximum load             | 7,0 kg |
| Weight                   | 31 Kg  |

### Composed of:

Standard 5/8" connection to mount the scanner horizontally

Safety Adapter for Faro or Leica RTC360 or Trimble X7 laser scanner to mount the scanner vertically

N. 2 Ballast bags (can contain 14Kg of sand or gravel, not supplied)

N. 2 1,20 meter extensions



# BLK WINDOWS SCAN

Part Number **BLKWS**

## BLK WINDOWS SCAN

Horizontal extensible system for scanning with Leica BLK360

### Technical data

|                          |        |
|--------------------------|--------|
| Dimensions closed system | 120 cm |
| Dimensions opened system | 310 cm |
| Maximum load             | 1,5 kg |
| Weight                   | 5,0 Kg |

### Composed of:

Quick safety connection

Ballast bag (can contain 14Kg of sand or gravel, not supplied)

Head with two 3/8" male connections

N. 2 1 meter extensions



# UpLift400

Part Number **UP400**

## UpLift 400

UPLIFT400 is a telescopic lifter made of painted steel, with manual lifting composed of 3 sections, the laser scanner to be positioned at maximum height of 4.00 mt.

It is equipped with:

- pressure knob
- heavy duty non-slip rubber feet
- wind bracing kit
- Manual leveling system for BLK360
- Carry Bag



# BLK2GO ACCESSORIES

## BLK2GO ADAPTER

Part Number **ADP-BLK2GO**

Composed of:

Aluminium Adapter

Optional not included

1 mt carbon pole

Price List **€ 100,00**



## BACKPACK FOR BLK2GO

Part Number **BP-BLK2GO**

Composed of:

BLK2GO Adapter

Standard Leica pin 5/8 "

Base for initialization

Adjustable support

Transport nylon bag



## LED LIGHT FOR BLK2GO

Part Number **LD-BLK2GO**

Composed of:

1 support with handle

3 led lights of 850Lm each

1 adapter for BLK2GO

1 battery charger for 3 lights

1 transport case

1 Smartphone holder





# BLK2GO ACCESSORIES

## Telescopic Carbon Pole

Part Number **TCP360**

Composed of:

- Standard 5/8 "connection
- Rod Holder Belt
- Hard carry case

Optional not included

BLK2GO Adapter (Art. ADP-  
BLK2GO) to be ordered separately



## BLK2GO Shoulder Support

Part Number **SS-BLK2GO**

Composed of:

- BLK2GO Adapter
- Base for initialization
- Phone holder
- Adjustable stand
- Carrying bag



## ADJUSTABLE TRIPOD LED LIGHT

Part Number **AD-TLL**

Composed of:

- 1 circular support diam.22 cm with 360° x 180° rotating holder
- 6 led lights of 850Lm each
- 1 support of 40 mm diameter 20 cm high with 5/8 " connection
- 2 battery chargers for 6 lights
- 1 transport case





# Rigid Backpack for RTC360

## Part Number **BP-RTC360**

The BP-RTC360 Backpack is an injection-molded backpack that is watertight, airtight and virtually crushproof. It is made of TTX01 polypropylene plastic resin with a micro-textured surface to reduce scratching .

The interior has been shaped to safely contain an RTC360 with 4 batteries and small accessories and organizer for tablet.

### Technical data

Dimension: 49,8x37x18,5(cm) -  
19.61x14.58x7.28(in)

Weight: 3,4 Kg - 7.5 lbs



# VEHICLE MOUNTER

## Part Number **VM**

VEHICLE MOUNTER FOR LASER SCANNER

### Composed of:

Aluminium spacer with 5/8" male

Quick bracket

Aluminium frame

Height 35 cm

Weight 3,7 Kg



# TRIPOD LED LIGHT

## Part Number **TLL**

### Composed of:

1 circular support diameter 22 cm

6 led lights of 850Lm each

1 support of 40 mm diameter 20 cm high with 5/8" connection

2 battery chargers for 6 lights

1 transport case



# TRIPOD LED LIGHT ADAPTER FOR RTC360

## Part Number **ADP-TLL-RTC**

Tripod Led Lights adapter for RTC360



## Safety Adapters

Part number **SA-RTC**

Safety Adapter for RTC360

Part number **SA-38**

Safety Adapter for BLK360

Part number **SA-P**

Safety Adapter for Leica P series, Z+F, Trimble and Faro Focus and X

Part number **SA-FSM**

Safety Adapter for FARO S and M series

Part number **SA-X7**

Safety Adapter for Trimble X7



## Adapter 5/8" female for RTC360 and X7

Part number **SGS122**

ADAPTER FOR LEICA RTC360

Part number **SGSX7**

ADAPTER FOR TRIMBLE X7



## SCAN VENTILATOR

Part number **SV**

SCAN VENTILATOR

Ventilation system for terrestrial laser scanner

Composed of:

- Support for ventilators and laser scanner
- N. 2 Ventilators
- Soft Bag



## Shoulder Tablet Holder

Part number **STH 9-10**

Universal mount for most 9-10" tablets.

Max height: 260 mm

Width range: 158-206 mm

Max depth: 22,3 mm

Part number **STH 10-12**

Universal mount for most 10-12" tablets.

Max height: 260 mm

Width range: 184-222 mm

Max depth: 22,3 mm



# Shoulder Support for GeoSlam

Part Number **SS-GEOSLAM**

One Shoulder Support for GeoSlam  
with Phone holder



## Accessories for 3D survey

### Target Plate 20x20

Part Number **TP16**


TARGET PLATE 20X20  
Reference target for 3D Laser Scanner, size 20cm x 20cm with support for GNSS receiver and 360° prisms.  
Including Leica pin adapter - 5/8" male



### Carbon Target 20x20

Part Number **CT20**

CARBON TARGET 20X20  
Reference carbon target, size 20cm x 20cm  
with 5/8" female connection



### Easy Tar-

Part Number **ET-KIT**



EASY TARGET  
Plastic reference target with 16x16cm  
chessboard. plus transport case



### Topographic Target Kit

Part Number **TTK**

TOPOGRAPHIC TARGET KIT composed of:

- 3 Cones
- 3 Spheres
- 3 Adapters with 5/8" female and Leica pin (for cones)
- 3 Adapters with Leica female pin and M8 male (for spheres)
- 1 Adapter with Leica female pin and 5/8" male (for GNSS receiver)





# SET LASERSCANNER REFERENCE SPHERE

## Part Number **SRS**

Composed of:  
6 aluminum reference spheres Ø 145 mm (5.7 inch) with anti-reflective coating.  
6 short magnetic holders (M8 / 0.4 inch).  
6 mini table tripods for reference spheres with ¼ "screw.  
6 adapters M8 male 5/8 "female  
6 adapters 5/8 "male ¼" female.  
1 plastic transport case with shaped internal padding.



## Part Number **KST**

Composed of:  
6 Spheres, diameter 150 mm non calibrated (spherical deviation less than 2mm) made from plastic shock resistant.  
6 Mini Tripods, max. height 18 cm, made from aluminium.  
1 Transport bag



## Part Number **KST-70**

Composed of:  
6 Spheres, diameter 120 mm non calibrated (spherical deviation less than 2mm) made from plastic shock resistant.  
6 Mini Tripods, max. height 50 cm, made from aluminium.  
1 Transport bag



# Adapter 3/8" for Leica BLK360, Faro, Trimble TX5

## Part number **ADP-38**

ADAPTER - 3/8"  
Adapter to reduce the 5/8" attack to 3/8"



# Accessories for Laser Scanner FARO

## Part Number **CB-TFX (for Faro Focus 3D, X serie, Trimble X5)**

COAXIAL BRACKET - PLASTIC

Support designed to surmount Laser Scanner Trimble TX5, Faro Focus 3D e Faro X with a GNSS receiver or with a reflective prism at 360°.



## Part Number **CB-SM (for Faro S and M series)**

COAXIAL BRACKET FOR FARO S AND FARO M SERIES

Support designed to surmount laser scanner Faro S and Faro M series 330 with GNSS receiver or reflective prism at 360°.



GENERAL SALES TERMS

Delivery terms: EX-WORKS Modena –Italy  
Transport costs not included

DETAILS

Price area: EMEA-APAC  
Currency: EUR  
Update February 2023



*our Solutions and our Products  
can be customised for every  
request or need ...*

surveying technology & solutions