



UPLIFT 500

DATA SHEET

April 2023

www.scan-go.eu

SCAN&GO srl

Via della Tecnica 34 A/B - 41051
Castelnuovo Rangone (MO) - Italy
Cell. +39 3924627285
info@scan-go.eu

Uplift500

STEEL TELESCOPIC LIFTER

UPLIFT500 is a telescopic lifter made of painted steel, with manual lifting composed of 4 sections, the laser scanner to be positioned at maximum height of 5.00 mt.

Combines stability with great sturdiness.

All metallic components (articulated parts, pressure knobs, leg braces, etc.) guarantee maximum durability and strength.

It is equipped with:

- double safety locking system
- pressure knob
- heavy duty non-slip rubber feet
- wind bracing kit
- braking wheels
- Bubble level

Useful in all inaccessible places when you need to have scans at different heights, removing shadows and obstacles, for example buildings, alleys and inner courtyards

Benefits:

- Easy to use
- Short setup and uninstal time (approxymately 10 min)
- Easy movement among scan stations
- Significant increase of the 3D Laser Scanner measuring range

**THE UPLIFT500 IS PERFECT FOR
ALL LASER SCANNERS
WITH MAXIMUM WEIGHT UP TO 10
kg**



Uplift500
can be used with Laser Scanner
FARO
LEICA BLK360 and RTC360



TECHNICAL DATA

- | | |
|-------------------------|--------------|
| • Minimum height opened | 160 cm |
| • Maximum Height opened | 500 cm |
| • Basic diameter | 170 cm |
| • Section | 4 |
| • Maximum load | 10 kg |
| • Weight | 16 kg |
| • Dimension when closed | 145x20x20 cm |

DETAILS AND ACCESSORIES



1	5/8" CONNECTION
2	COLUMN
3	DOUBLE SAFETY LOCKING SYSTEM WITH SAFETY-BOLT AND PRESSURE KNOB
4	DOUBLE REINFORCING BRACES
5	ONE ADJUSTABLE LEG
6	RUBBER FEET COVER
7	BRAKING WHEELS

ACCESSORIES INCLUDED

A	SOFT BAG FOR ACCESSORIES
B	WIND BRACING KIT
C	BRAKING WHEELS
D	RUBBER FEET
E	BUBBLE LEVEL
F	Carry bag



ADAPTERS TO BE ORDERED SEPARATELY



ADP38
ADAPTER 3/8" FOR BLK360 TRIPOD ADAP-
TER



NEW surveying technology & solutions

