



Automatic Rigid Backpack for BLKARC

www.scan-go.eu

DATA SHEET

MARCH 2026

Scan&Go srl
Via della Tecnica 34 A/B - 41051
Castelnuovo Rangone (MO) - Italy
Cell. +39 3924627285
info@scan-go.eu

Automatic Rigid Backpack for BLKARC

Part Number **ABP-BLKARC**

The **ABP-BLKARC** Backpack is an injection-molded backpack that is watertight, airtight and virtually crushproof. It is made of TTX01 polypropylene plastic resin with a micro-textured surface to reduce scratching .

The interior has been shaped to safely contain BLKARC with batteries and accessories.

The upper part is equipped with DC 12V socket to power BLKARC.

BLK ARC activation must be performed by using a smartphone



Technical data:

Dimensions: 49,8x37x18,5(cm) - 19.61x14.58x7.28(in)

Weight: 6 Kg - 14,33 lbs (with battery and BLKARC)

Pole speed: 14mm/sec. 0,55in/sec.



ACCESSORIES INCLUDED:

USB-C cable of 50 cm (0.2in) for connection of BLKARC and smartphone

DC cable of 50 cm (0.2in) for BLKARC power

Extension diam. 35 mm, length 11 cm(4.33 in)

BLK ARC bracket (part number BR-ARC)

2 remote control for electric pole

USB C Male to DC Female Power Adapter Type-C to DC 5.5 x 2.1mm Female Converter Works with 20V/100W Type -C PD Source



ACCESSORIES NOT INCLUDED:

Batteries

Automatic Rigid Backpack for BLKARC



AFTERTECH MINI UPS POWERBANK PACCO BATTERIA AL LITIO LI-ION 12v 8300mAh 100wh +uscita 9v e USB E2D1

Marca: AFTERTECH

4,0 ★★★★★ 11 voti

Prezzo medio: 79,99€ [Maggiori informazioni](#)

Prezzo per clienti aziendali ~ **64,91€ IVA esclusa**

79,19€ IVA inclusa

Risparmi: 0,80€ (1%)

I prezzi degli articoli in vendita su Amazon includono l'IVA. In base all'indirizzo di spedizione, l'IVA potrebbe variare durante il processo di acquisto. Per maggiori informazioni clicca [qui](#).

Acquista di più, risparmi di più

5 unità

-2% 392,00 €

64,26 €/unità

(78,40 € IVA inclusa)

RECOMMENDED BATTERIES
Attention: Do not use the USB port to activate the BLK ARC.

To ensure the pole's fast movement (22 seconds for maximum extension), two batteries are required: one to power the engine and the other to power the scanner. The output power to the scanner is protected by a 10-28V AC to 12V DC 2A Reduced Voltage Converter.



- 1 -Engine Power Supply
- 2 -BLK ARC Power Supply

Thanks to the supplied adapter, it is possible to use a Samsung Power Bank Super Fast Charging to power the BLK ARC.



The BLK ARC can be turned on by using the supplied USB-C cable connected to a smartphone



Connect DC cable of 50 cm from BLKARC to Backpack



NEW surveying technology & solutions



Made in Italy